



The Onion Report

A SUMMARY OF THE SCIENCE ON THE HEALTH
AND NUTRITION BENEFITS OF ONIONS



Contents

Introduction	3
What's in an onion? Nutrition information by variety	4
Onions and their health benefits	6
• Gut health	6
• Heart health	6
• Weight management	8
• Diabetes	9
• Cancer	10
Emerging science	12
How to select, store & enjoy	14
Onions & low FODMAP diets	15
References	16



Introduction

This comprehensive report summarises more than 100 studies over nearly 30 years on the nutrition and health benefits of onions, providing a solid rationale as to why Australians should increase onion consumption beyond the current average of two serves per person, per week.¹

It also explores recent scientific research on the continually emerging health benefits of their high levels of phytochemicals including quercetin, sulfoxides and anthocyanins.

Key findings include that onion consumption is associated with:

- a reduction in body weight, BMI, waist circumference, triglyceride levels, fat mass and obesity prevention;
- diabetes prevention and management;
- the elimination of cancer-causing substances and prevention of tumour growth;
- improved intestinal health and increased bacteria populations;
- improved cardiometabolic parameters, a reduced risk of cardiovascular disease, heart disease and stroke;
- improved bone density and osteoporosis prevention;
- improved memory and protection against neurodegeneration; and
- scar prevention and improved wound healing.

The report also includes practical information on how to select, store and prepare onions to encourage their consumption at maximum antioxidant levels.

Onions offer a versatile, nutrient-packed, health-promoting ingredient that deserves to take centre stage in meals.

Teri Lichtenstein
Accredited Practising Dietitian

What's in an onion?

Brown, white and red onions are all members of the *Allium cepa* family of plants, along with garlic, leeks and shallots. The nutritional composition of onions varies depending on the variety and whether they are raw or cooked.

This report includes the nutrition breakdown for brown, white and red onions, raw and cooked, as well as an average across the three varieties.

What's a serve?

Half a medium onion (75g) is a serve of vegetables. The minimum recommendation for daily serves of vegetables is 6 for men, 5 for women (+7 if breastfeeding), 4 1/2 - 5 1/2 for children aged 4-18 years and 2 1/2 for children aged 2-3 years.

NUTRITION INFORMATION RAW ONION (AVERAGE) SERVING SIZE: 75g RAW (1/2 MEDIUM ONION)

	Brown (raw)		White (raw)		Red (raw)		Average (brown, white, red raw)	
	per serve	per 100g	per serve	per 100g	per serve	per 100g	per serve	per 100g
Energy (kJ)	104 (25kcal)	139 (33kcal)	96 (23kcal)	128 (30kcal)	85 (20kcal)	113 (27kcal)	95 (23kcal)	126 (30kcal)
Protein, total (g)	1.0	1.3	1.3	1.7	0.6	0.8	1.0	1.3
Fat, total (g)	0	0	0.1	0.1	0	0	0	0
- saturated (g)	0	0	0	0	0	0	0	0
- trans (g)	0	0	0	0	0	0	0	0
- polyunsaturated (g)	0	0	0	0	0	0	0	0
- monounsaturated (g)	0	0	0	0	0	0	0	0
Carbohydrate, total (g)	4.4	5.8	3.5	4.7	4.1	5.5	4.0	5.3
- sugars (g)	4.4	5.8	3.5	4.7	4.1	5.5	4.0	5.3
Dietary fibre (g)	2.0	2.7	1.6	2.1	1.1	1.4	1.6	2.1
Fructans^ (g)	1.6	2.1	1.4	1.8	1.4	1.8	1.4	1.9
Sodium (mg)	6	8	10	13	4	5	7	9
Potassium (mg)	135	180	126	168	105	140	122	163
Folate (µg)	26.3 (13% RDI)	35	26.3 (13% RDI)	35	1.5	2	18	24
Vitamin C (mg)	5.3 (13% RDI)	7	4.5 (11% RDI)	6	3.8	5	4.5 (11% RDI)	6.0
Total polyphenols* (mg)	47	63	4	5	105	140	52	69
Anthocyanins* (mg)	0	0	0	0	7	9	7	9
Quercetin* (mg)	38	51	4	5	91	121	44	59
Kaempferol^ ^ (mg)	0.5	0.7	0	0	0.5	0.7	0.3	0
Cysteine Sulfoxides~ (mg)	n/a	n/a	n/a	n/a	n/a	n/a	41	55
Gluten	0	0	0	0	0	0	0	0

g = gram, mg = milligram, µg = microgram - RDI - Recommended Dietary Intake (FSANZ regulatory RDI for adults) - Anthocyanins (red onions only)

Sources

- AFCD (Australian Food Composition Database) (Raw onion) 2022 <https://afcd.foodstandards.gov.au>
- *Phenyl Explorer database 3.6. <http://phenol-explorer.eu>
- ^ Muir JG, Shepherd SJ, Rosella O, et al. Fructan and free fructose content of common Australian vegetables and fruit. J Agric Food Chem. 2007;55(16):6619-6627. doi:10.1021/jf070623x
- ^ ^ Onion flavonoid content USDA release 3.3 (2018) https://www.ars.usda.gov/ARSUserFiles/80400525/Data/Flav/Flav_R03-1.pdf
- ~ Kubec R, Dadáková E. Chromatographic methods for determination of S-substituted cysteine derivatives--a comparative study. J Chromatogr A. 2009 Oct 9;1216(41):6957-63



75g serve of raw onion provides...

- Brown** – Source of fibre, folate and vitamin C; Contains antioxidants, including polyphenols, quercetin, kaempferol
- Red** – Contains antioxidants including polyphenols, anthocyanins, quercetin and kaempferol
- White** – Source of vitamin C and folate; Contains antioxidants, including polyphenols and quercetin

The nutritional composition of onions varies depending on onion variety and whether they are raw or cooked.

75g serve of cooked onion provides...



- Brown** – Source of fibre, folate and vitamin C; contains potassium
- Red** – Source of vitamin C
- White** – Source of fibre, folate, and vitamin C; contains potassium

NUTRITION INFORMATION COOKED ONION (AVERAGE) SERVING SIZE: 75g COOKED (1/3 CUP COOKED)

	Brown (cooked)		White (cooked)		Red (cooked)		Average (brown, white, red cooked)	
	per serve	per 100g	per serve	per 100g	per serve	per 100g	per serve	per 100g
Energy (kJ)	168 (40kcal)	224 (53kcal)	152 (36kcal)	203 (48kcal)	137 (33kcal)	183 (44kcal)	153 (36kcal)	203 (48kcal)
Protein, total (g)	1.6	2.1	2.0	2.7	0.9	1.2	1.5	2.0
Fat, total (g)	0	0	0.2	0.2	0	0	0	0
- saturated (g)	0	0	0	0	0	0	0	0
- trans (g)	0	0	0	0	0	0	0	0
- polyunsaturated (g)	0	0	0	0	0	0	0	0
- monounsaturated (g)	0	0	0	0	0	0	0	0
Carbohydrate, total (g)	7.1	9.4	5.6	7.5	6.7	8.9	6.5	8.6
- sugars (g)	7.1	9.4	5.6	7.5	6.7	8.9	6.5	8.6
Dietary fibre (g)	3.3	4.4	2.5	3.3	1.7	2.2	2.5	3.3
Sodium (mg)	9	12	16	21	6	8	10	14
Potassium (mg)	218	290	200	267	170	226	196	261
Folate (µg)	34.5 (17% RDI)	46	33.8 (17% RDI)	45	1.5	2	23.3 (12% RDI)	31
Vitamin C (mg)	7.5 (19% RDI)	10	6.0 (15% RDI)	8	4.5 (11% RDI)	6	6.0 (15% RDI)	8
Gluten	0	0	0	0	0	0	0	0

Sources

- AFCD (Australian Food Composition Database) (Cooked onion - fried no fat) 2022 <https://afcd.foodstandards.gov.au>

Onions & their health benefits



GUT HEALTH


The dietary fibre, prebiotic fibre, organosulfur compounds and quercetin found in onions are beneficial for gut health.

Onions are a natural source of **fibre and fructans** - a prebiotic fibre that is resistant to digestion. For most people, fructans are beneficial for the gut microbiome and promote the growth of healthy bacteria such as bifidobacteria.^{14,15}

The **organosulfur compounds** in onions have been widely studied for their benefits on intestinal health. Studies have shown that these compounds have a positive impact on the gut microbiome composition, increasing beneficial bacteria populations.¹⁶

Quercetin has been shown to promote intestinal homeostasis in animal studies by changing the intestinal flora,^{17,18} and has been shown to play a role in the prevention and treatment of inflammatory bowel disease.¹⁹

On average, 100mg of onions contain 59mg of quercetin, compared to 40mg for 100g of blueberry, 7mg for 100g of apple and 8mg for 100g of broccoli.²⁰ The quercetin content of red onion is 14 times as much of that of garlic and twice as much as that of white onion.²¹



HEART HEALTH

Onions can play a protective role in cardiovascular health through their antioxidant, anti-inflammatory, antiapoptotic, and antihypertension effects.⁸

Cholesterol and blood pressure

A 2023 systematic review and meta-analysis of 14 randomised controlled trials found that onion supplementation significantly improved cardio-metabolic parameters including improved body fat percentage, total and low-density lipoprotein (LDL) cholesterol and blood pressure.²²

Onion supplementation has also been shown to control dyslipidaemia (abnormal levels of lipids in the bloodstream). A 2021 meta-analysis of 10 randomised controlled clinical trials with 446 patients found that onion supplementation was beneficial for plasma levels of high-density lipoprotein (HDL), LDL and total cholesterol as well as blood pressure. Subjects received between 100-1000mg per day of onion or onion peel extract. Pooled evaluation of the trials indicated that onion supplementation significantly improved HDL and LDL cholesterol levels (mean difference 2.29mg/dl and -6.65mg/dl respectively).²³

Heart disease and hypertension

Epidemiological evidence suggests onion eaters have a reduced risk of mortality and reduced risk of developing heart disease and hypertension. A Finnish study of 5,133 men and women found those eating 5g of onion a day reduced their risk of total mortality and death from coronary heart disease by 29% and 35% respectively, compared to those who didn't eat onion.²⁴

Another European study found that Italians who ate more than one 80g portion of onion a week had a 22% reduced risk of myocardial infarction compared to non-onion eaters.²⁵

Lastly, a longitudinal study that followed 3,052 adults for six years found those who habitually ate garlic and onion had a 64% reduced risk of cardiovascular disease and 26% decreased risk of developing hypertension.²⁶

Quercetin and heart health

Numerous studies have shown that dietary flavonoids, such as quercetin, can minimise oxidative stress by mopping up free radicals, thereby reducing the risk of heart disease and stroke.²⁷

The cardioprotective effects of a quercetin-rich onion skin extract has been observed in two randomised double-blinded placebo-controlled studies.

One study looked at 70 obese and overweight women with pre-hypertension and stage 1 hypertension. Hypertensive participants taking 162mg a day of quercetin from onion skin extract powder saw a reduction in blood pressure.²⁸

A second study investigated the effect of quercetin on endothelial function in 72 healthy obese and overweight individuals when taking 100mg of quercetin via onion peel extract per day for 12 weeks. The study concluded that onion peel extract improved endothelial function, with improvement in flow-mediated dilation and circulating endothelial progenitor cells.²⁹

Quercetin is metabolised in 24 hours, so it is necessary to consume it daily to maintain the body's antioxidant capacity.³⁰





WEIGHT MANAGEMENT

Obesity markers

A 2023 systematic review and meta-analysis of five clinical trials (using onions and onion skin) found body weight, body mass index (BMI), waist circumference and triglyceride levels were all significantly reduced in those who consumed onion compared to the placebo groups. The effects were greater with onion peels, which has a higher quercetin content.³¹

Similarly, another 2023 systematic review and meta-analysis of 14 randomised clinical trials found intakes of more than 300g a day of onion significantly improved weight, waist circumference and BMI.³²

Fat mass

A 12-week randomised, double-blind, placebo controlled clinical trial found steamed onion supplementation reduced total body fat, notably abdominal visceral fat, with positive changes of the clinically relevant metabolic parameters serum triglycerides and C-peptide.³³

This reduction in body weight, BMI and waist circumference was also seen in a 12-week trial that used onion peel extracts rich in quercetin.³⁴

A twin study, of 2,734 healthy female twins aged 18-83 years old, compared the intake of flavonoid antioxidants and fat mass, finding that those who ate more flavanol rich foods, including 60g of onion, had reduced fat mass and reduced central adiposity.³⁵

Quercetin and weight management

Quercetin has been shown to play a role in preventing obesity.³⁶

A randomised, double blind, placebo-controlled study with 72 overweight and obese Korean subjects found onion peel extract, containing 50mg of quercetin, 65mg of total flavonoids and 119.2mg of total polyphenols, prevented fat accumulation in various body parts and had beneficial effects on obesity.³⁷

While a study on 70 healthy Japanese women did not find a significant difference in for visceral fat reduction for subjects receiving 9g of onion powder a day for 12 weeks, it did find the subset of those with lower HDL cholesterol levels had significantly reduced visceral fat, suggesting a role for onions in preventing obesity in some groups.³⁸

The studies on onion quercetin and obesity management have contradicting or mixed results and further research is needed to determine the opportunity for therapeutic application.

Conditions linked to obesity

A substantial number of studies have proven the efficacy of onions in the treatment of pathological conditions linked to obesity, such as hyperlipidaemia, diabetes, hypertension, cardiovascular disease and inflammatory state.³⁶



DIABETES

Numerous studies have shown onions are beneficial for diabetes prevention and management due to their phytonutrient antioxidants and fibre content.

Blood glucose management

Onions are strongly associated with helping lower blood glucose levels, managing diabetes and reducing complications associated with diabetes.^{39,40}

One study of 28 people with diabetes concluded that onions could provide hypoglycemic effects, suggesting its use as a dietary supplement for Type 1 and Type 2 diabetes. Participants consumed 100g of sliced onion and saw significantly reduced blood glucose levels four hours after a test meal.⁴¹

Significant decreases in fasting blood glucose, insulin levels as well as improvements in insulin sensitivity and improved insulin resistance was observed in a study of 56 breast cancer patients consuming a high amount (100-160g a day) of onion over eight weeks.⁴²


Onion skin extract has been shown to delay glucose uptake through the inhibition of the enzyme sucrose in the intestinal tract.³³

Quercetin and diabetes

Studies specifically on quercetin have shown it may have a role in reducing the risk of Type 2 diabetes⁴⁵ and diabetes complications such as liver injury.⁴⁶ Quercetin antioxidant acts on multiple targets of diabetes and regulates key signalling pathways which improve the symptoms as well as the complications of Type 2 diabetes.⁴⁷

In addition to human studies, nine animal studies also found onions, onion juice or extracts rich in quercetin, delivered a reduction of blood glucose levels and improvements in insulin resistance through regulation of glucose transport in cells and reduced oxidative stress.⁴⁸⁻⁵⁶





CANCER

The polysaccharides, organosulfur and flavonoid antioxidants found in onions have shown to have anti-cancer benefits.⁵⁶⁻⁶⁰

Onion polysaccharides have been shown to prevent tumour tissue growth in the body, impact various immune system linkages, significantly increase immunological function, and reverse the immune suppression induced by tumour growth.⁵⁶

Studies have also shown that the **organosulfur compounds** present in onions are powerful anticarcinogens, thanks to their ability to activate detoxifying enzymes that can eliminate cancer-causing substances.⁵⁷

Onion flavonoids (specifically quercetin,^{58,59} fisetin and luteolin⁶⁰) are powerful flavonoid antioxidants that may hold promise as an adjunct to cancer treatment drugs. These flavonoids have been shown to induce cell apoptosis, inhibit inflammation, oxidative stress and cell proliferation, which in turn inhibits the growth of cancer cells.

More than 15 studies have concluded that high onion eaters have less cancer risk than no or low onion eaters.⁶¹⁻⁷²

While the mechanisms to explain this are still being investigated, the natural chemical compounds in onions – such as amino acid sulfoxides and their breakdown derivatives – appear to induce liver detoxification enzyme systems, and influence cancer arrest cycles and apoptosis (or cell death) in cancer cell models.⁷³

Another hypothesis is that the vitamin C in onions inhibits cell mutation, which contributes to the growth of tumours in the intestinal tract.⁶⁶

In addition to the benefits of eating onion to reduce cancer risk, there is also a benefit in consuming onions when undergoing cancer treatment. A systematic review of 19 studies sought to determine what food or beverages consumed during cancer treatment might prevent recurrence, subsequent malignancies, treatment-related toxicity, or death. Onions, as well as nuts and specific grape varieties, were shown to be modestly beneficial in lessening side effects and improving prognosis during cancer treatment.⁷⁴



Emerging health science

There are several emerging areas in the scientific literature where onion consumption has shown a positive health impact, including antimicrobial capacity, bone and brain health and wound healing.

ANTIMICROBIAL

Allium vegetables have long been known for their **antimicrobial activity** against various microorganisms, such as gram-positive and gram-negative bacteria.⁷⁵

Onions have shown to be effective in the treatment of various infectious diseases (for instance, urinary tract infections)⁷⁶, and many fungi, bacteria and viruses have been found to be vulnerable to components of *Allium cepa*,⁷⁷ with red onions shown to possess more antibacterial properties relative to other onion varieties.⁸⁰

The antimicrobial benefits of onions also have food safety implications. Onion skin extract has been shown to have antimicrobial effects against bacteria that commonly cause food poisoning (*Bacillus cereus*), as well as against *E. coli*⁷⁹, and salmonella.⁸⁰

BONE HEALTH

Onions have been used to treat multiple osteoporosis-based disorders.^{81,82}

Research shows onions may help older women protect their bones. Peri- or post-menopausal women over 50 years of age who ate onions at least once a day had an overall **bone density** 5% greater than those who ate onions once a month or less ($P < 0.03$). Compared to those who never ate onions, older women who ate onions the most frequently had a 20% **reduced risk of hip fracture**.⁸³

BRAIN HEALTH

Healthy ageing

Onions are rich in flavonols, which are associated with slower decline in cognition and cognitive abilities associated with older age.⁸⁴

A 2023 study found the cognitive score of people who ate the most flavonols (15mg a day) declined more slowly than those who ate the fewest flavonols (5mg a day).⁸⁵

Another study found that people with the highest daily flavonoid intakes were 19% less likely to report trouble with memory and thinking, compared with the lowest flavonoid intakes. Strawberries, spinach and onions were among the specific flavonoid containing foods that topped the list of scores in the memory questionnaire.⁸⁶

In both studies, the results held even after adjusting for other factors that can affect memory, such as age, weight, sex, alcohol intake, physical activity and smoking.

Quercetin flavonoid is associated with a reduction in age-related cognitive decline. A 24-week randomised double blind placebo-controlled trial of 70 healthy Japanese subjects (aged 60 to 79 years), showed significant improvements in cognitive tests in the group consuming quercetin-rich onion, equivalent to 50mg quercetin per day.⁸⁷

Alzheimer's disease

The protective role of onion against neurodegeneration and Alzheimer's disease can be attributed to active ingredients such as flavonoids, and quercetin in particular.^{88,89}

Quercetin improves antioxidant capacity and regulation of gene expression patterns, and is associated with a slower decline in global cognition and memory loss.⁸⁵

WOUND HEALING

Onions may be beneficial for wound healing.

A systematic review on anti-scarring agents showed positive outcomes from onion peel and its effectiveness against hypertrophic scars and keloid prevention.⁹⁰

In a study of 60 subjects who had cosmetically unacceptable lesions removed from their bodies, an application of an onion gel treatment to the surgical scars significantly improved its softness, redness, texture and appearance after 4-6 weeks, compared to the control group.⁹¹

Onion peel

Onion peels contain 20 times more flavonoids than onion flesh, however, the peel is usually discarded as waste.⁹² A 2021 review of in vitro and in vivo studies found that onion peel extracts exhibit antimicrobial and neuroprotective properties, as well as offer protective roles against cancer (cervical, breast and liver cancer cells), hyperglycaemia, hypercholesterolemia, obesity and erectile dysfunction.⁹³

Onion peel can be considered to provide a cost-effective replacement for other medicinal compounds and supplements.⁹⁴ For example, onion peel can be used for the preparation of capsules that provide an anti-obesity effect and cardioprotective activity.⁹³ Substantial research has validated that onion peels are a concentrated source of bioactive compounds that offer many therapeutic benefits, and onion peel application should be considered in biomedical and pharmaceutical fields.⁹⁵



Selecting, storing & enjoying

SELECT

- When selecting, opt for onions that are clean, firm and have shiny tissue-thin skins
- The 'neck' should be tight and dry
- They shouldn't be overly dry, discoloured or have soft wet spots

STORE

- Keep onions in a cool, dark, yet dry area in a bag or container that enables air circulation
- Don't store onions with potatoes as they accelerate spoilage
- Store at room temperature – cold storage decreases flavonoid content⁹⁶

PREPARING ONIONS FOR MAXIMUM ANTIOXIDANTS AND VITAMINS

- Avoid over peeling onions, the outer layers have higher antioxidant levels⁴
- Cook onions soon after cutting, rather than cutting and storing
- Avoid soaking in water unless the water is included in the cooking, and consume liquids as well as part of the dish
- Bake, grill or stir fry onions to maximise the bioavailability of health-promoting phenolic compounds such as quercetin^{97,98}
- Try fermenting onions with other vegetables

Using a variety of cooking methods, as well as enjoying some onion raw, will help maximise nutrient levels available for absorption and maintain antioxidant capacity.^{99,100}

A review of cooking methods (baking, grilling, frying) onions found that cooking increased the number of phenolic compounds compared to raw onion, with baking and grilling producing the highest amount available for digestion.¹⁰¹



Sunlight boosts quercetin in the outer layers of the onion, so don't over-peel them!¹⁰²



TEAR-FREE CHOPPING

Onion roots absorb sulfur from the soil and store it as an amino acid sulfoxide. When an onion is cut, it releases enzymes, which set off a chain reaction, and gasses find their way into the eyes. When these gasses are mixed with water in the eyes they form sulphenic acid. Nerves in the cornea react to the irritant sending a message to the brain to activate the tear glands. Tears form to wash the chemical out of the eye, which is why onions can cause people to cry.^{103,104}

For tear-free chopping, try putting onions in the fridge or freezer for a short time before cutting them. Another tip is to add vinegar to the chopping board as the acid denatures the enzymes.

For more usage tips and recipe ideas visit www.australianonions.com.au

Did you know?

Onions make you cry due to a chemical reaction that starts in the ground.



ONIONS & LOW FODMAP DIETS

A low FODMAP diet is often used to help people with Irritable Bowel Syndrome (IBS) symptoms. It has three stages – elimination, reintroduction and personalisation. It is complex and should be accompanied by dietitian- or doctor-led education.

Whilst this diet excludes eating onion in the elimination phase, the flavour of onion can still be enjoyed in oil-based dishes by cooking with large pieces of onion and simply removing before consuming. Do however avoid adding to water-based dishes, such as soups and casseroles.

After the elimination phase is completed, onions can be used as a test food to determine if they cause a reaction. Many people with IBS can tolerate small amounts of onion and will benefit from the fibre and nutrients in onions that support gut health.

References

- 2022/23 Australian Horticulture Statistics Handbook, <https://www.horticulture.com.au/growers/help-your-business-grow/research-reports-publications-fact-sheets-and-more/australian-horticulture-statistics-handbook/>
- Rothwell JA, et al. (2013) Phenol-Explorer 3.0: a major update of the Phenol-Explorer database to incorporate data on the effects of food processing on polyphenol content. Database, 10.1093/database/bat070.
- Johannot L, Somerset SM. Age-related variations in flavonoid intake and sources in the Australian population. Public Health Nutr. 2006 Dec;9(8):1045-54.
- Somerset SM, Johannot L. Dietary flavonoid sources in Australian adults. Nutr Cancer. 2008;60(4):442-9.
- Terao J. Factors modulating bioavailability of quercetin-related flavonoids and the consequences of their vascular function. Biochem Pharmacol. 2017 Sep 1;139:15-23
- Lee J, Mitchell AE. Pharmacokinetics of quercetin absorption from apples and onions in healthy humans. J Agric Food Chem. 2012 Apr 18;60(15):3874-81
- Ullah A, Munir S, Badshah SL, Khan N, et al. Important Flavonoids and Their Role as a Therapeutic Agent. Molecules. 2020 Nov 11;25(22):5243. doi: 10.3390/molecules25225243. PMID: 33187049; PMCID: PMC7697716. <https://pmc.ncbi.nlm.nih.gov/articles/PMC7697716/>
- Petropoulos S, Di Gioia F, Ntatsi G. Vegetable Organosulfur Compounds and their Health Promoting Effects. Curr Pharm Des. 2017;23(19):2850-2875. doi: 10.2174/1381612823666170111100531. PMID: 28078991. <https://pubmed.ncbi.nlm.nih.gov/28078991/>
- Slimestad R et al. Onions: a source of unique dietary flavonoids. J Agric Food Chem. 2007 Dec 12;55(25):10067-80.
- McCullough M.L et al. Flavonoid intake and cardiovascular disease mortality in a prospective cohort of US adults. Am. J. Clin. Nutr. 2012;95:454-464. <https://pubmed.ncbi.nlm.nih.gov/22218162/>
- Wallace T.C et al. Systematic review of anthocyanins and markers of cardiovascular disease. Nutrients. 2016;8:32. <https://pubmed.ncbi.nlm.nih.gov/26761031/>
- Lee YM et al. Dietary Anthocyanins against Obesity and Inflammation. Nutrients. 2017 Oct 1;9(10). pii: E1089. Lee YM et al. Dietary Anthocyanins against Obesity and Inflammation. Nutrients. 2017 Oct 1;9(10). pii: E1089.
- Rózsanska D, et al. The significance of anthocyanins in the prevention and treatment of type 2 diabetes. Adv Clin Exp Med. 2018 Jan;27(1):135-142. Rózsanska D, et al. The significance of anthocyanins in the prevention and treatment of type 2 diabetes. Adv Clin Exp Med. 2018 Jan;27(1):135-142.
- Hiel S, et al. Effects of a diet based on inulin-rich vegetables on gut health and nutritional behavior in healthy humans. Am J Clin Nutr. 2019 Jun 1;109(6):1683-1695. doi: 10.1093/ajcn/nqz001. PMID: 31108510; PMCID: PMC6537941. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6537941/>
- Ur Rahman S, et al. In vivo effects of Allium cepa L. on the selected gut microflora and intestinal histomorphology in broiler. Acta Histochem. 2017 Jun;119(5):446-450. doi: 10.1016/j.acthis.2017.04.004. Epub 2017 May 9. PMID: 28495367. <https://pubmed.ncbi.nlm.nih.gov/28495367/>
- Guillamón E, et al. Beneficial Effects of Organosulfur Compounds from Allium cepa on Gut Health: A Systematic Review. Foods. 2021 Jul 21;10(8):1680. doi: 10.3390/foods10081680. PMID: 34441457; PMCID: PMC8392556. <https://pubmed.ncbi.nlm.nih.gov/34441457/>
- Ju, S. et al. Dietary Quercetin Ameliorates Experimental Colitis in Mouse by Remodeling the Function of Colonic Macrophages via a Heme Oxygenase-1-Dependent Pathway. Cell Cycle 2018, 17, 53-63. <https://pubmed.ncbi.nlm.nih.gov/28976231/>
- Shi T, et al. Quercetin improves gut dysbiosis in antibiotic-treated mice. Food Funct. 2020 Sep 23;11(9):8003-8013. doi: 10.1039/d0fo01439g. PMID: 32845255. <https://pubmed.ncbi.nlm.nih.gov/32845255/>
- Sato S, Mukai Y. Modulation of Chronic Inflammation by Quercetin: The Beneficial Effects on Obesity. J Inflamm Res. 2020 Aug 4;13:421-431. doi: 10.2147/JIR.S228361. PMID: 32848440; PMCID: PMC7425105. <https://pubmed.ncbi.nlm.nih.gov/32848440/>
- Phenyl Explorer database 3.6. <http://phenol-explorer.eu>
- Chadorshabi S, Hallaj-Nezhadi S, Ghasempour Z. Red onion skin active ingredients, extraction and biological properties for functional food applications. Food Chem. 2022 Aug 30;386:132737. doi: 10.1016/j.foodchem.2022.132737. Epub 2022 Mar 17. PMID: 35509169. <https://pubmed.ncbi.nlm.nih.gov/35509169/>
- Hejazi N, Ghalandari H, Nouri M, Askarpour M. Onion supplementation and health metabolic parameters: A systematic review and meta-analysis of randomized controlled trials. Clin Nutr ESPEN. 2023 Dec;58:1-13. doi: 10.1016/j.clnesp.2023.08.032. Epub 2023 Aug 30. PMID: 38056991. <https://pubmed.ncbi.nlm.nih.gov/38056991/>
- Huang W, et al. Effect of onion on blood lipid profile: a meta-analysis of randomised controlled trials. Food Sci Nutr. 2021;9:3563-3572. DOI: 10.1002/fsn3.2309 <https://onlinelibrary.wiley.com/doi/full/10.1002/fsn3.2309>
- Knekt P, et al. Flavonoid intake and coronary mortality in Finland: a cohort study. BMJ. 1996 Feb 24;312(7029):478-81. doi: 10.1136/bmj.312.7029.478. PMID: 8597679; PMCID: PMC2349921. <https://pubmed.ncbi.nlm.nih.gov/8597679/>
- Galeone C, Tavani A, Pelucchi C, Negri E, La Vecchia C. Allium vegetable intake and risk of acute myocardial infarction in Italy. Eur J Nutr. 2009 Mar;48(2):120-3. doi: 10.1007/s00394-008-0771-2. Epub 2009 Jan 13. PMID: 19142565. <https://pubmed.ncbi.nlm.nih.gov/19142565/>
- Bahadoran Z, Mirmiran P, Momenan AA, Azizi F. Allium vegetable intakes and the incidence of cardiovascular disease, hypertension, chronic kidney disease, and type 2 diabetes in adults: a longitudinal follow-up study. J Hypertens. 2017 Sep;35(9):1909-1916. doi: 10.1097/HJH.0000000000001356. PMID: 28319598. <https://pubmed.ncbi.nlm.nih.gov/28319598/>
- Chakraborty AJ et al. Allium cepa: A Treasure of Bioactive Phytochemicals with Prospective Health Benefits. Evid Based Complement Alternat Med. 2022 Jan 18;2022:4586318. doi: 10.1155/2022/4586318. PMID: 35087593; PMCID: PMC8789449. <https://pubmed.ncbi.nlm.nih.gov/35087593/> #:~:text=Onion%20(Allium%20cepa)%20is%20a,well%20as%20vitamins%20and%20minerals.
- Brüll V, et al. Effects of a quercetin-rich onion skin extract on 24 h ambulatory blood pressure and endothelial function in overweight-to-obese patients with (pre-) hypertension: a randomised double-blinded placebo-controlled cross-over trial. Br J Nutr. 2015 Oct 28;114(8):1263-77. doi: 10.1017/S0007114515002950. Epub 2015 Sep 2. PMID: 26328470; PMCID: PMC4594049. <https://pubmed.ncbi.nlm.nih.gov/26328470/>
- Choi EY, et al. Effect of onion peel extract on endothelial function and endothelial progenitor cells in overweight and obese individuals. Nutrition. 2015 Sep;31(9):1131-5. doi: 10.1016/j.nut.2015.04.020. PMID: 26233871. <https://pubmed.ncbi.nlm.nih.gov/26233871/>
- McAnlis GT, et al. Absorption and antioxidant effects of quercetin from onions, in man. Eur J Clin Nutr. 1999 Feb;53(2):92-6. doi: 10.1038/sj.ejcn.1600682. PMID: 10099940. <https://pubmed.ncbi.nlm.nih.gov/10099940/>
- Chung MY, Hwang JT, Park SH. Antiobesity effects of onion (Allium cepa) in subjects with obesity: Systematic review and meta-analysis. Food Sci Nutr. 2023 May 16;11(8):4409-4418. doi: 10.1002/fsn3.3426. PMID: 37576046; PMCID: PMC10420769. <https://pubmed.ncbi.nlm.nih.gov/37576046/>
- Hejazi N, Ghalandari H, Nouri M, Askarpour M. Onion supplementation and health metabolic parameters: A systematic review and meta-analysis of randomized controlled trials. Clin Nutr ESPEN. 2023 Dec;58:1-13. doi: 10.1016/j.clnesp.2023.08.032. Epub 2023 Aug 30. PMID: 38056991. <https://pubmed.ncbi.nlm.nih.gov/38056991/>
- Jeong S, et al. Effect of Steamed Onion (ONIRO) Consumption on Body Fat and Metabolic Profiles in Overweight Subjects: A 12-Week Randomized, Double-Blind, Placebo-Controlled Clinical Trial. J Am Coll Nutr. 2020 Mar-Apr;39(3):206-215. doi: 10.1080/07315724.2019.1635052. Epub 2019 Aug 1. PMID: 31368861. <https://pubmed.ncbi.nlm.nih.gov/31368861/>
- Lee JS, Cha YJ, Lee KH, Yim JE. Onion peel extract reduces the percentage of body fat in overweight and obese subjects: a 12-week, randomized, double-blind, placebo-controlled study. Nutr Res Pract. 2016 Apr;10(2):175-81. doi: 10.4162/nrp.2016.10.2.175. Epub 2016 Mar 2. Erratum in: Nutr Res Pract. 2016 Jun;10(3):364. doi: 10.4162/nrp.2016.10.3.364. PMID: 27087901; PMCID: PMC4819128. <https://pubmed.ncbi.nlm.nih.gov/27087901/>
- Jennings A, MacGregor A, Spector T, Cassidy A. Higher dietary flavonoid intakes are associated with lower objectively measured body composition in women: evidence from discordant monozygotic twins. Am J Clin Nutr. 2017 Mar;105(3):626-634. doi: 10.3945/ajcn.116.144394. Epub 2017 Jan 18. PMID: 28100511; PMCID: PMC5320412. <https://pubmed.ncbi.nlm.nih.gov/28100511/>
- Wang, Y.; Li, Z.; He, J.; Zhao, Y. Quercetin Regulates Lipid Metabolism and Fat Accumulation by Regulating Inflammatory Responses and Glyco metabolism Pathways: A Review. Nutrients 2024, 16, 1102. <https://doi.org/10.3390/nu16081102> <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC11053503/>
- Choi HN, Choue R, Park Y, Yim JE. Onion Peel Extract Increases Erythrocyte Membrane n-3 Fatty Acids in Overweight and Obese Korean Subjects. J Med Food. 2020 Jan;23(1):37-42. doi: 10.1089/jmf.2018.4366. Epub 2019 Dec 19. PMID: 31855493.
- Nishimura M, Muro T, Kobori M, Nishihira J. Effect of Daily Ingestion of Quercetin-Rich Onion Powder for 12 Weeks on Visceral Fat: A Randomised, Double-Blind, Placebo-Controlled, Parallel-Group Study. Nutrients. 2019 Dec 28;12(1):91. doi: 10.3390/nu12010091. PMID: 31905615; PMCID: PMC7019606. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7019606/>
- Bordoloi, Premila L. & Tiwari, Mansi & Dave, Preeti. Anti-diabetic potential of onion: a review. (2020). https://www.researchgate.net/publication/342643304_Anti-diabetic_potential_of_onion_a_review
- Urios P, Grigorova-Borsos AM, Sternberg M. Flavonoids inhibit the formation of the cross-linking AGE pentosidine in collagen incubated with glucose, according to their structure. Eur J Nutr. 2007 Apr;46(3):139-46. doi: 10.1007/s00394-007-0644-0. Epub 2007 Mar 13. PMID: 17356796. <https://pubmed.ncbi.nlm.nih.gov/17356796/>
- Taj Eldin IM, Ahmed EM, Elwahab H M A. Preliminary Study of the Clinical Hypoglycemic Effects of Allium cepa (Red Onion) in Type 1 and Type 2 Diabetic Patients. Environ Health Insights. 2010 Oct 14;4:71-7. doi: 10.4137/EHI.S5540. PMID: 21079693; PMCID: PMC2978938. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2978938/>
- Jafarpour-Sadegh F, et al. Consumption of Fresh Yellow Onion Ameliorates Hypertension and Insulin Resistance in Breast Cancer Patients During Doxorubicin-Based Chemotherapy: A Randomized Controlled Clinical Trial. Integr Cancer Ther. 2017 Sep;16(3):276-289. doi: 10.1177/1534735416656915. Epub 2016 Jun 28. PMID: 27352956; PMCID: PMC5759935. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5759935/>
- Eid HM et al. The Antidiabetic Potential of Quercetin: Underlying Mechanisms. Curr Med Chem. 2017;24(4):355-364. <https://pubmed.ncbi.nlm.nih.gov/27633685/>
- Knekt P, et al. Flavonoid intake and risk of chronic diseases. Am J Clin Nutr. 2002 Sep;76(3):560-8. doi: 10.1093/ajcn/76.3.560. PMID: 12198000. <https://pubmed.ncbi.nlm.nih.gov/12198000/>
- Kobori M, Masumoto S, Akimoto Y, Takahashi Y. Dietary quercetin alleviates diabetic symptoms and reduces streptozotocin-induced disturbance of hepatic gene expression in mice. Mol Nutr Food Res. 2009 Jul;53(7):859-68. doi: 10.1002/mnfr.200800310. PMID: 19496084. <https://pubmed.ncbi.nlm.nih.gov/19496084/>
- Dhanya R. Quercetin for managing type 2 diabetes and its complications, an insight into multitarget therapy. Biomed Pharmacother. 2022 Feb;146:112560. doi: 10.1016/j.biopha.2021.112560. Epub 2021 Dec 22. PMID: 34953390. <https://pubmed.ncbi.nlm.nih.gov/34953390/>
- Airaodion, A.I. et al. Hypolipidaemic and antidiabetic potency of Allium cepa (onions) bulb in alloxan-induced diabetic rats. Acta Scientific Nutritional Health, 2020; 4, 73-80. <https://www.actascientific.com/ASNH/pdf/ASNH-04-0648.pdf>
- Taj Eldin IM et al. Hypoglycemic Activity and Regeneration of Pancreatic Beta-cells Produced by Allium cepa in Alloxan-induced Diabetic Rats. Omdurman Journal of Pharmaceutical. 2009;1(5):562-8.
- Lee CW, Lee HS, Cha YJ, Joo WH, Kang DO, Moon JY. In vivo Investigation of Anti-diabetic Properties of Ripe Onion Juice in Normal and Streptozotocin-induced Diabetic Rats. Prev Nutr Food Sci. 2013 Sep;18(3):169-74. doi: 10.3746/pnf.2013.18.3.169. PMID: 24471128; PMCID: PMC3892491. <https://pubmed.ncbi.nlm.nih.gov/24471128/>
- Kook S, Kim GH, Choi K. The antidiabetic effect of onion and garlic in experimental diabetic rats: meta-analysis. J Med Food. 2009 Jun;12(3):552-60. doi: 10.1089/jmf.2008.1071. PMID: 19627203. <https://pubmed.ncbi.nlm.nih.gov/19627203/>
- Campos KE, et al. Hypoglycaemic and antioxidant effects of onion, Allium cepa: dietary onion addition, antioxidant activity and hypoglycaemic effects on diabetic rats. Int J Food Sci Nutr. 2003 May;54(3):241-6. doi: 10.1080/09637480120092062. PMID: 12775373. <https://pubmed.ncbi.nlm.nih.gov/12775373/>
- Bang MA, Kim HA, Cho YJ. Alterations in the blood glucose, serum lipids and renal oxidative stress in diabetic rats by supplementation of onion (Allium cepa. Linn). Nutr Res Pract. 2009 Fall;3(3):242-6. doi: 10.4162/nrp.2009.3.3.242. Epub 2009 Sep 30. PMID: 20090891; PMCID: PMC2808725. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2808725/>
- Azuma K, Minami Y, Ippoushi K, Terao J. Lowering effects of onion intake on oxidative stress biomarkers in streptozotocin-induced diabetic rats. J Clin Biochem Nutr. 2007 Mar;40(2):131-40. doi: 10.3164/jcbn.40.131. PMID: 18188415; PMCID: PMC2127222. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2127222/>
- Babu PS, Srinivasan K. Influence of dietary capsaicin and onion on the metabolic abnormalities associated with streptozotocin induced diabetes mellitus. Mol Cell Biochem. 1997 Oct;175(1-2):49-57. doi: 10.1023/a:1006881027166. PMID: 9350033. <https://pubmed.ncbi.nlm.nih.gov/9350033/>
- Jung JY, Lim Y, Moon MS, Kim JY, Kwon O. Onion peel extracts ameliorate hyperglycemia and insulin resistance in high fat diet/streptozotocin-induced diabetic rats. Nutr Metab (Lond). 2011 Mar 28;8(1):18. doi: 10.1186/1743-7075-8-18. PMID: 21439094; PMCID: PMC3074560. <https://pubmed.ncbi.nlm.nih.gov/21439094/>
- Ji YB, Wang FL. Optimization of trypsin extraction technology of Allium cepa L. polysaccharide by response surface methodology and the antitumor effects through immunomodulation. Bioengineered. 2021 Dec;12(1):382-391. doi: 10.1080/21655979.2020.1870320. Retraction in: Bioengineered. 2022 Jun;13(6):14841. doi: 10.1080/21655979.2022.2145698. PMID: 33472492; PMCID: PMC8291826. <https://pubmed.ncbi.nlm.nih.gov/33472492/>
- H. A. R. Suleria, et al. Onion: nature protection against physiological threats. Critical Reviews in Food Science and Nutrition, vol. 55, no. 1, pp. 50-66, 2015. https://www.researchgate.net/publication/236517877_Onion_Nature_Protection_Against_Physiological_Threats
- Tang SM, et al. Pharmacological basis and new insights of quercetin action in respect to its anti-cancer effects. Biomed Pharmacother. 2020 Jan;121:109604. doi: 10.1016/j.biopha.2019.109604. Epub 2019 Nov 13. PMID: 31733570. <https://pubmed.ncbi.nlm.nih.gov/31733570/>
- Kundrapu DB, Malla RR. Advances in Quercetin for Drug-Resistant Cancer Therapy: Mechanisms, Applications, and Delivery Systems. Crit Rev Oncog. 2023;28(4):15-26. doi: 10.1615/CritRevOncog.2023049513. PMID: 38050978. <https://pubmed.ncbi.nlm.nih.gov/38050978/>
- Qaed E, et al. Fisetin's Promising Antitumor Effects: Uncovering Mechanisms and Targeting for Future Therapies. Glob Med Genet. 2023 Aug 9;10(3):205-220. doi: 10.1055/s-0043-1772219. PMID: 37565061; PMCID: PMC10412067. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10412067/>
- Galeone C, et al. Relation of allium vegetables intake with head and neck cancers: evidence from the INHANCE consortium. Mol Nutr Food Res. 2015 Sep;59(9):1641-50. doi: 10.1002/mnfr.201500042. Epub 2015 Jul 2. PMID: 26018663; PMCID: PMC4579039. <https://pubmed.ncbi.nlm.nih.gov/26018663/>
- Galeone C, et al. Onion and garlic use and human cancer. Am J Clin Nutr. 2006 Nov;84(5):1027-32. doi: 10.1093/ajcn/84.5.1027. PMID: 17093154. <https://pubmed.ncbi.nlm.nih.gov/17093154/>
- Turati F, et al C. Allium vegetable intake and gastric cancer: a case-control

study and meta-analysis. *Mol Nutr Food Res*. 2015 Jan;59(1):171-9. doi: 10.1002/mnfr.201400496. Epub 2014 Oct 8. PMID: 25215621. <https://pubmed.ncbi.nlm.nih.gov/25215621/>

64. Zhou Y, et al. Consumption of large amounts of Allium vegetables reduces risk for gastric cancer in a meta-analysis. *Gastroenterology*. 2011 Jul;141(1):80-9. doi: 10.1053/j.gastro.2011.03.057. Epub 2011 Apr 5. PMID: 21473867. <https://pubmed.ncbi.nlm.nih.gov/21473867/>

65. Dorant E, van den Brandt PA, Goldbohm RA, Sturmans F. Consumption of onions and a reduced risk of stomach carcinoma. *Gastroenterology*. 1996 Jan;110(1):12-20. doi: 10.1053/gast.1996.v110.pm8536847. PMID: 8536847. <https://pubmed.ncbi.nlm.nih.gov/8536847/>

66. Wu, X., et al. Allium vegetables are associated with reduced risk of colorectal cancer: A hospital-based matched case-control study in China. *Asia-Pacific Journal of Clinical Oncology*, 2019, 15, e132 - e141. <https://onlinelibrary.wiley.com/doi/10.1111/ajco.13133>

67. Turati F, Guercio V, Pelucchi C, La Vecchia C, Galeone C. Colorectal cancer and adenomatous polyps in relation to allium vegetables intake: a meta-analysis of observational studies. *Mol Nutr Food Res*. 2014 Sep;58(9):1907-14. doi: 10.1002/mnfr.201400169. Epub 2014 Jun 27. PMID: 24976533. <https://pubmed.ncbi.nlm.nih.gov/24976533/>

68. Dorant E, van den Brandt PA, Goldbohm RA. A prospective cohort study on the relationship between onion and leek consumption, garlic supplement use and the risk of colorectal carcinoma in The Netherlands. *Carcinogenesis*. 1996 Mar;17(3):477-84. doi: 10.1093/carcin/17.3.477. PMID: 8631133. <https://pubmed.ncbi.nlm.nih.gov/8631133/>

69. Pourzand A, et al. Associations between Dietary Allium Vegetables and Risk of Breast Cancer: A Hospital-Based Matched Case-Control Study. *J Breast Cancer*. 2016 Sep;19(3):292-300. doi: 10.4048/jbc.2016.19.3.292. Epub 2016 Sep 23. Erratum in: *J Breast Cancer*. 2018 Jun;21(2):231. doi: 10.4048/jbc.2018.21.2.231. PMID: 27721879; PMCID: PMC5053314. <https://pubmed.ncbi.nlm.nih.gov/27721879/>

70. Dorant E, van den Brandt PA, Goldbohm RA. Allium vegetable consumption, garlic supplement intake, and female breast carcinoma incidence. *Breast Cancer Res Treat*. 1995;33(2):163-70. doi: 10.1007/BF00682723. PMID: 7749142. <https://pubmed.ncbi.nlm.nih.gov/7749142/>

71. Dorant E, van den Brandt PA, Goldbohm RA. Allium vegetable consumption, garlic supplement intake, and female breast carcinoma incidence. *Breast Cancer Res Treat*. 1995;33(2):163-70. doi: 10.1007/BF00682723. PMID: 7749142. <https://pubmed.ncbi.nlm.nih.gov/7749142/>

72. Galeone C, et al. Onion and garlic intake and the odds of benign prostatic hyperplasia. *Urology*. 2007 Oct;70(4):672-6. doi: 10.1016/j.urology.2007.06.1099. PMID: 17991535. <https://pubmed.ncbi.nlm.nih.gov/17991535/>

73. Rose P, Whiteman M, Moore PK, Zhu YZ. Bioactive S-alk(en)yl cysteine sulfoxide metabolites in the genus Allium: the chemistry of potential therapeutic agents. *Nat Prod Rep*. 2005 Jun;22(3):351-68. doi: 10.1039/b417639c. Epub 2005 May 10. PMID: 16010345. <https://pubmed.ncbi.nlm.nih.gov/16010345/>

74. Conigliaro T, Boyce LM, Lopez CA, Tonorezos ES. Food Intake During Cancer Therapy: A Systematic Review. *Am J Clin Oncol*. 2020 Nov;43(11):813-819. doi: 10.1097/JCO.0000000000000749. PMID: 32889891; PMCID: PMC7584741. <https://pubmed.ncbi.nlm.nih.gov/32889891/>

75. Zohri AN, Abdel-Gawad K, Saber S. Antibacterial, antidermatophytic and antifungal activities of onion (*Allium cepa* L.) oil. *Microbiol Res*. 1995 May;150(2):167-72. doi: 10.1016/S0944-5013(11)80052-2. PMID: 7600010. <https://pubmed.ncbi.nlm.nih.gov/7600010/>

76. N. Azu, R. Onyeagba, O. Nworie, and J. Kalu. Antibacterial activity of *Allium cepa* (onions) and *Zingiber officinale* (ginger) on *Staphylococcus aureus* and *Pseudomonas aeruginosa* isolated from high vaginal swab. *The Internet Journal of Tropical Medicine*, vol. 3, no. 2, pp. 1-7, 2006. <https://www.researchgate.net/publication/292017842>

77. Chakraborty AJ, et al. Allium cepa: A Treasure of Bioactive Phytochemicals with Prospective Health Benefits. *Evid Based Complement Alternat Med*. 2022

Jan 18;2022:4586318. doi: 10.1155/2022/4586318. PMID: 35087593; PMCID: PMC8789449. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8789449/pdf/ECAM2022-4586318.pdf>

78. K. Sharma, N. Mahato, and Y. R. Lee. Systematic study on active compounds as antibacterial and antibiofilm agent in aging onions. *Journal of Food and Drug Analysis*, vol. 26, no. 2, pp. 518-528, 2018. <https://www.sciencedirect.com/science/article/pii/S1021949817301369>

79. Crnivec, I. G. O et al. Waste streams in onion production: Bioactive compounds, quercetin and use of antimicrobial and antioxidative properties. *Waste Management*, 2021. 126, 476-486. <https://www.sciencedirect.com/science/article/abs/pii/S0956053X21001756>

80. A. Saxena, R. M. Tripathi, and R. P. Singh. Biological synthesis of silver nanoparticles by using onion (*Allium cepa*) extract and their antibacterial activity. *Digest Journal of Nanomaterials and Biostructures*, vol. 5, no. 2, pp. 427- 432, 2010. <https://www.researchgate.net/publication/279555479>

81. Tang CH, Huang TH, Chang CS, Fu WM, Yang RS. Water solution of onion crude powder inhibits RANKL-induced osteoclastogenesis through ERK, p38 and NF-kappaB pathways. *Osteoporos Int*. 2009 Jan;20(1):93-103. doi: 10.1007/s00198-008-0630-2. Epub 2008 May 28. PMID: 18506384. <https://pubmed.ncbi.nlm.nih.gov/18506384/>

82. Law YY, Chiu HF, Lee HH, Shen YC, Venkatakrishnan K, Wang CK. Consumption of onion juice modulates oxidative stress and attenuates the risk of bone disorders in middle-aged and post-menopausal healthy subjects. *Food Funct*. 2016 Feb;7(2):902-12. doi: 10.1039/c5fo01251a. PMID: 26686359. <https://pubmed.ncbi.nlm.nih.gov/26686359/>

83. Matheson EM, Mainous AG 3rd, Carnemolla MA. The association between onion consumption and bone density in perimenopausal and postmenopausal non-Hispanic white women 50 years and older. *Menopause*. 2009 Jul-Aug;16(4):756-9. doi: 10.1097/gme.0b013e31819581a5. PMID: 19240657. <https://pubmed.ncbi.nlm.nih.gov/19240657/>

84. Shahabi M, Idrees R. Flavanols for Age-related Memory Loss: A Promising Nutritional Intervention. *Ann Neurosci*. 2023 Oct;30(4):222-223. doi: 10.1177/09727531231195683. Epub 2023 Aug 30. PMID: 38020404; PMCID: PMC10662273. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10662273/>

85. Holland TM, et al. Association of Dietary Intake of Flavonols With Changes in Global Cognition and Several Cognitive Abilities. *Neurology*. 2023 Feb 14;100(7):e694-e702. doi: 10.1212/WNL.000000000000201541. Epub 2022 Nov 22. PMID: 36414424; PMCID: PMC9969915. <https://pubmed.ncbi.nlm.nih.gov/36414424/>

86. Tian-Shin Yeh, et al. Long-term Dietary Flavonoid Intake and Subjective Cognitive Decline in US Men and Women. *Neurology* Sep 2021, 97 (10) e1041-e1056 <https://n.neurology.org/content/97/10/e1041.long>

87. Nishihira J, et al. The effect of 24-week continuous intake of quercetin-rich onion on age-related cognitive decline in healthy elderly people: a randomized, double-blind, placebo-controlled, parallel-group comparative clinical trial. *J Clin Biochem Nutr*. 2021. <https://pubmed.ncbi.nlm.nih.gov/34616111/>

88. Hegazy EM, Sabry A, Khalil WKB. Neuroprotective effects of onion and garlic root extracts against Alzheimer's disease in rats: antimicrobial, histopathological, and molecular studies. *BioTechnologia (Pozn)*. 2022 Jun 29;103(2):153-167. doi: 10.5114/bta.2022.116210. PMID: 36606073; PMCID: PMC9642951. <https://pubmed.ncbi.nlm.nih.gov/36606073/>

89. Khan H, Ullah H, Aschner M, Cheang WS, Akkol EK. Neuroprotective Effects of Quercetin in Alzheimer's Disease. *Biomolecules*. 2019 Dec 30;10(1):59. doi: 10.3390/biom10010059. PMID: 31905923; PMCID: PMC7023116. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7023116/>

90. J. M. Zurada, D. Kriegel, and I. C. Davis. Topical treatments for hypertrophic scars. *Journal of the American Academy of Dermatology*, vol. 55, no. 6, pp. 1024-1031, 2006. <https://onlinelibrary.wiley.com/doi/10.1111/jdv.17484>

91. Draelos ZD. The ability of onion extract gel to improve the cosmetic appearance of postsurgical scars. *J Cosmet Dermatol*. 2008 Jun;7(2):101-4. doi:

10.1111/j.1473-2165.2008.00371.x. PMID: 18482012. <https://pubmed.ncbi.nlm.nih.gov/18482012/>

92. Pal CBT, Jadeja GC. Deep eutectic solvent-based extraction of polyphenolic antioxidants from onion (*Allium cepa* L.) peel. *J Sci Food Agric*. 2019 Mar 15;99(4):1969-1979. doi: 10.1002/jsfa.9395. Epub 2018 Nov 12. PMID: 30270562. <https://pubmed.ncbi.nlm.nih.gov/30270562/>

93. Kumar M, et al. Onion (*Allium cepa* L.) peels: A review on bioactive compounds and biomedical activities. *Biomed Pharmacother*. 2022 Feb;146:112498. doi: 10.1016/j.biopha.2021.112498. Epub 2021 Dec 22. PMID: 34953395. <https://pubmed.ncbi.nlm.nih.gov/34953395/>

94. Bains A, Sridhar K, Singh BN, Kuhad RC, Chawla P, Sharma M. Valorization of onion peel waste: From trash to treasure. *Chemosphere*. 2023 Dec;343:140178. doi: 10.1016/j.chemosphere.2023.140178. Epub 2023 Sep 13. PMID: 37714483. <https://pubmed.ncbi.nlm.nih.gov/37714483/>

95. Boccellino M, D'Angelo S. Anti-Obesity Effects of Polyphenol Intake: Current Status and Future Possibilities. *Int J Mol Sci*. 2020 Aug 6;21(16):5642. doi: 10.3390/ijms21165642. PMID: 32781724; PMCID: PMC7460589. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7460589/>

96. Ren F, Nian Y, Perussello CA. Effect of storage, food processing and novel extraction technologies on onions flavonoid content: A review. *Food Res Int*. 2020 Jun;132:108953. doi: 10.1016/j.foodres.2019.108953. Epub 2019 Dec 26. PMID: 32331665. <https://pubmed.ncbi.nlm.nih.gov/32331665/>

97. Somerset SM, Johannot L. Dietary flavonoid sources in Australian adults. *Nutr Cancer*. 2008;60(4):442-9. doi: 10.1080/01635580802143836. PMID: 18584477. <https://pubmed.ncbi.nlm.nih.gov/18584477/>

97. Khan H, Ullah H, Aschner M, Cheang WS, Akkol EK. Neuroprotective Effects of Quercetin in Alzheimer's Disease. *Biomolecules*. 2019 Dec 30;10(1):59. doi: 10.3390/biom10010059. PMID: 31905923; PMCID: PMC7023116. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7023116/>

98. Harris S, Brunton N, Tiwari U, Cummins E. Human exposure modelling of quercetin in onions (*Allium cepa* L.) following thermal processing. *Food Chem*. 2015 Nov 15;187:135-9. doi: 10.1016/j.foodchem.2015.04.035. Epub 2015 Apr 21. PMID: 25977008. <https://pubmed.ncbi.nlm.nih.gov/25977008/>

99. Lee SU, Lee JH, Choi SH, Lee JS, Ohnisi-Kameyama M, Kozukue N, Levin CE, Friedman M. Flavonoid content in fresh, home-processed, and light-exposed onions and in dehydrated commercial onion products. *J Agric Food Chem*. 2008 Sep 24;56(18):8541-8. doi: 10.1021/jf801009p. Epub 2008 Aug 30. PMID: 18759442. <https://pubmed.ncbi.nlm.nih.gov/18759442/>

100. Pellegrini N, et al. Effect of domestic cooking methods on the total antioxidant capacity of vegetables. *Int J Food Sci Nutr*. 2009;60 Suppl 2:12-22. doi: 10.1080/09637480802175212. Epub 2009 Mar 2. PMID: 19255918. <https://pubmed.ncbi.nlm.nih.gov/19255918/>

101. Cattivelli A, Conte A, Martini S, Tagliacucchi D. Influence of Cooking Methods on Onion Phenolic Compounds Bioaccessibility. *Foods*. 2021; 10(5):1023. <https://doi.org/10.3390/foods10051023> <https://www.mdpi.com/2304-8158/10/5/1023>

102. Rodov V, Tietel Z, Vinokur Y, Horev B, Eshel D. Ultraviolet light stimulates flavonol accumulation in peeled onions and controls microorganisms on their surface. *J Agric Food Chem*. 2010 Aug 25;58(16):9071-6. doi: 10.1021/jf1016016. Epub 2010 Jul 22. PMID: 23654235. <https://pubmed.ncbi.nlm.nih.gov/23654235/>

103. <https://theconversation.com/why-onions-make-us-cry-and-why-some-dont-84486>. Accessed August 2024

104. Kato, M., Masamura, N., Shono, J. et al. Production and characterization of tearless and non-pungent onion. *Sci Rep* 6, 23779 (2016). <https://doi.org/10.1038/srep23779>. <https://www.nature.com/articles/srep23779>





Hort Innovation **ONION FUND**

This project has been funded by Hort Innovation using the onion research and development levy and funds from the Australian Government. For more information on the fund and strategic levy investment visit horticulture.com.au

© Australian Onions 2024

This information contained in this report is for educational purposes only and should not be considered medical advice. Please see your health care provider for individual medical advice as required.